

Grace Alloy Corp.

Stainless Steel Water Tank Accessories Wash Basins Cement Grooves

Product Catalog



9F. No. 148, Zhongzheng 4th Road, Qianjin District, Kaohsiung City, Taiwan (801) Tel: +886-7-2851-999 Fax: +886-7-2857-666

, Office Hours (Taiwan Time): Mon - Fri 9:00 - 17:30 Email: grace@gracealloy.com.tw gracealloycorp@gmail.com Web: www.gracealloy.com.tw

GA strives for your optimum

Grace Alloy Corp.



Contents

About Us	1
Stainless Steel Vertical Water Tank	2
Stainless Steel Horizontal Water Tank	3
Stainless Steel Spherical Water Tank Stainless Steel Water Tank (Vertical With Solar Panel Stand)	4
Stainless Steel Water Tank (Vertical With Ladder) Stainless Steel Drain	5
Stainless Steel Coated Wash Basin Stainless Steel Wash Basin	6
Stainless Steel Cement Groove	7

www.gracealloy.com.tw







About Us

Grace Alloy Corp. is a trading company. Our team has accumulated more than three decades of extensive experience in stainless steel, carbon steel, aluminum, copper alloy, and other non-ferrous materials. We specialize in supplying and purchasing materials in the forms of but not limited to:

- Coils
- Strips
- Precision strips (CSP)
- Sheets

- Tubes (round/square/rectangular)
- Wire rods
- Gratings
- Bars (flat/angle/round/square/hexagon)

- Plates Checkered Plates
- Thick Plates
- Pipes
- Fittings

- Water tanks
- Laser-cutting machines
- Welding machines
- Shearing machines
- Leveling machines

Our sources abide by international specifications. We strive to put every product to its optimal use and provide our valuable customers with a one-stop and personalized purchasing experience. Our supplies are used in various industries, including construction, transportation, public infrastructure, home appliances, interior design, commercial kitchenware, automobiles, electronics, food service, etc.

The earnest teamwork, rigorous profession, respected market reputation, and solid trust have developed firm networks worldwide. Networking with various suppliers allows us to provide favorable pricing, shorter delivery time, more amicable minimum order quantity (MOQ), diverse country of origin, and integrated services for our customers.

The collaborations that encompass both the domestic and international spheres are indicative of our competence, competitiveness, and confidence in rendering genuine services along with prime quality to our clients.

Maintaining a long-term, stable, smooth, and satisfying cooperative relationship with customers and suppliers serves as our topmost priority. The prospective aim of Grace Alloy Corp. is to forge cohesion that facilitates a mutually beneficial platform for each party included.



Stainless Steel Water Tank (Vertical)

Stainless Steel Water Tank (Vertical)

Item	Thickness	Diameter	Total I	Height	Distance Tank	of Water Stand	Со	nnecting Pipe H	loles
Volume (L)	(mm)	(cm)	ST Stand (cm)	1.6 Meter Stand (cm)	ST Stand (cm)	1.6 Meter Stand (cm)	Entering Connecting Pipe Hole	Exiting Connecting Pipe Hole	Cleaning Purpose Pipe Hole
500	0.5	77	155	280	82		3/4" x 2	1 1/2"	1"
800	0.6	90	170	280	92	106	3/4" x 2	1 1/2"	1"
1000	0.6	97	170	280	84	112	3/4" x 2	1 1/2"	1"
1300	0.6	97	190	300	84	112	3/4" x 2	1 1/2"	1"
1500	0.7	105	190	300	88	116	3/4" x 2	1 1/2"	1"
1800	0.8	123	190	300	96	126	3/4" x 2	1 1/2"	1"
2000	0.8	142	190	300	116	140	3/4" x 2	2"	1 1/2"
3000	0.8	142	248	358	116	140	3/4" x 2	2"	1 1/2"

*The distance of the water tank stand is for reference only.







Stainless Steel Water Tank (Horizontal)

Stainless Steel Water Tank (Horizontal)

Item	Thickness	Diameter	Total I	leight	Distance Tank		Со	nnecting Pipe H	oles
Volume (L)	(mm)	(cm)	ST Stand (cm)	1.6 Meter Stand (cm)	ST Stand (cm)	1.6 Meter Stand (cm)	Entering Connecting Pipe Hole	Exiting Connecting Pipe Hole	Cleaning Purpose Pipe Hole
500	0.5	77	99	244	126 x 82	126 x 82	3/4" x 2	1 1/2"	1"
800	0.6	90	112	257	130 x 97	130 x 97	3/4" x 2	1 1/2"	1"
1000	0.6	97	119	264	135 x 103	135 x 103	3/4" x 2	1 1/2"	1"
1300	0.6	97	119	264	155 x 103	155 x 103	3/4" x 2	1 1/2"	1"
1500	0.7	105	127	272	155 x 112	155 x 112	3/4" x 2	1 1/2"	1"
1800	0.8	123	145	290	155 x 127	155 x 127	3/4" x 2	1 1/2"	1"
2000	0.8	142	164	309	159 x 153	159 x 153	3/4" x 2	2"	1 1/2"
3000	0.8	142	164	309	215 x 153	215 x 153	3/4" x 2	2"	1 1/2"

*The distance of the water tank stand is for reference only.











Stainless Steel Water Tank (Spherical)

Stainless Stee	l Water Tan	k (Spherical)
Stanness Stee	ater rate	K (Spiterical)

Item	Thickness	Diameter	Total Height
Volume (L)	(mm)	(cm)	(cm)
500	0.5	110	124
1000	0.6	131	148
1500	0.7	145	160

*The above standard and sizes are for reference only. The mill's standard to be final.

*Customization is available depending on actual application.

*The spherical water tank is primarily designed for water storage only. For chemical use, customization is required.

Stainless Steel Water Tank (Vertical With Solar Panel Stand)

Stainless Steel Water Tank (Vertical With Solar Panel Stand)

Item	Thickness	Diameter	Height	Height
Standard	(mm)	(cm)	(Without Stand) (cm)	(With Stand) (cm)
300	0.4	63	110	270
500	0.5	77	115	275
800	0.6	90	120	280
1000	0.6	97	120	280
1300	0.6	97	140	300
1500	0.7	105	140	300
1800	0.8	123	140	300
2000	0.8	142	140	300
2000	1.0	142	140	300
3000	0.8	142	198	358
3000	1.0	142	198	358
5000	0.8	170	225	385
5000	1.0	170	225	385



Stainless Steel Water Tank (Vertical With Ladder)

Stainless Steel Water Tank (Vertical With Ladder)

Item	Thickness	Diameter	Height	Height
Standard	(mm)	(cm)	(Without Stand) (cm)	(With Stand) (cm)
300	0.4	63	110	140
500	0.5	77	115	155
800	0.6	90	120	170
1000	0.6	97	120	170
1300	0.6	97	140	190
1500	0.7	105	140	190
1800	0.8	123	140	190
2000	0.8	142	140	190
2000	1.0	142	140	190
3000	0.8	142	198	248
3000	1.0	142	198	248
5000	0.8	170	225	275
5000	1.0	170	225	275
10000	1.0	220	270	315
10000	1.2	220	270	315



Stainless Steel Drain

Item	Length	Width
Type/ Shape	(cm)	(cm)
Square	14	14



Stainless Steel Coated Wash Basin

Stainless Steel Coated Wash Basin				
Item	Length	Width	Height	
Type/ Shape	(cm)	(cm)	(cm)	
Round	47	46	15	
Oval	42	50	14	
Noble	48	57	14	
Precious	48	57	14	
Eternity	48	57	14	

Stainless Steel Wash Basin

Stainless Steel Wash Basin				
Item	Length	Width	Height	
Type/ Shape	(cm)	(cm)	(cm)	
Round	47	46	15	
Oval	42	50	14	
Noble	48	57	14	
Precious	48	57	14	
Eternity	48	57	14	
Mini	31	25	10	
Medium	39	30	12	
90 degree	31	30	10	



*This image shows the working process of stainless steel wash basins. These wash basins are waiting to be lubricated and ground.



Stainless Steel Cement Groove

Stainless Steel Cement Groove

Item	Height	Outer Diameter	Inner Diameter	Depth	Thickness
Standard	(With Stand) (cm)	(mm)	(mm)	(mm)	(mm)
Single Groove	69.69	700 x 500	630 x 430	230	0.7
Single Groove	60.6	620 x 480	560 x 410	180	0.5
Single Groove	54.54	570 x 460	510 x 400	180	0.5
Single Groove	45.45	480 x 400	410 x 340	180	0.5
Double Grooves	30.3	1000 x 500	Larger Smaller Groove Groove	180	0.5
Double Grooves	00.0	1000 x 000	560 x 410 420 x 320		0.5
Single Groove	30.3	1000 x 500	560 x 410	180	0.5

*The above grooves come with stand

7

Grace Alloy Corp.



	Office Hours: Mon - Fri 9:00 - 17:30
	grace@gracealloy.com.tw gracealloycorp@gmail.com
	www.gracealloy.com.tw
	9F. No. 148, Zhongzheng 4th Road, Qianjin District, Kaohsiung City, Taiwan (801)
	高雄市前金區中正四路148號9樓
C	Tel: +886-7-2851-999
	Fax: +886-7-2857-666

GA strives for your optimum